



ZAPYTAJ O PRODUKT

+48 58 55 40 555

KUP W SKLEPIE MARCOPOL24



Pokrycie:



## Wymiary

| Material index | d - Średnica [mm] | L - Długość [mm] | D [mm] | Lg [mm] | Wgłębienia | Rodzaj pokrycia | Jednostka miary |
|----------------|-------------------|------------------|--------|---------|------------|-----------------|-----------------|
| 3114045060TXAT | 4.5               | 60               | 9.0    | 36      | TX 20      | A - ocynk żółty | TYS.            |
| 3114045035TXAT | 4.5               | 35               | 9.0    | 24      | TX 20      | A - ocynk żółty | TYS.            |
| 3114045070TXAT | 4.5               | 70               | 9.0    | 42      | TX 20      | A - ocynk żółty | TYS.            |
| 3114045040TXAT | 4.5               | 40               | 9.0    | 24      | TX 20      | A - ocynk żółty | TYS.            |
| 3114045080TXAT | 4.5               | 80               | 9.0    | 50      | TX 20      | A - ocynk żółty | TYS.            |
| 3114045050TXAT | 4.5               | 50               | 9.0    | 30      | TX 20      | A - ocynk żółty | TYS.            |
| 3114045030TXAT | 4.5               | 30               | 9.0    | 18      | TX 20      | A - ocynk żółty | TYS.            |
| 3114045050TXAK | 4.5               | 50               | 9.0    | 30      | TX 20      | A - ocynk żółty | KG              |
| 3114045070TXAK | 4.5               | 70               | 9.0    | 42      | TX 20      | A - ocynk żółty | KG              |
| 3114045060TXAK | 4.5               | 60               | 9.0    | 36      | TX 20      | A - ocynk żółty | KG              |
| 3114045030TXAK | 4.5               | 30               | 9.0    | 18      | TX 20      | A - ocynk żółty | KG              |
| 3114045080TXAK | 4.5               | 80               | 9.0    | 50      | TX 20      | A - ocynk żółty | KG              |
| 3114045040TXAK | 4.5               | 40               | 9.0    | 24      | TX 20      | A - ocynk żółty | KG              |
| 3114040060TXAT | 4.0               | 60               | 8.0    | 36      | TX 20      | A - ocynk żółty | TYS.            |
| 3114040040TXAT | 4.0               | 40               | 8.0    | 24      | TX 20      | A - ocynk żółty | TYS.            |
| 3114040030TXAT | 4.0               | 30               | 8.0    | 18      | TX 20      | A - ocynk żółty | TYS.            |
| 3114040050TXAT | 4.0               | 50               | 8.0    | 30      | TX 20      | A - ocynk żółty | TYS.            |
| 3114040055TXAT | 4.0               | 55               | 8.0    | 36      | TX 20      | A - ocynk żółty | TYS.            |
| 3114040070TXAT | 4.0               | 70               | 8.0    | 42      | TX 20      | A - ocynk żółty | TYS.            |
| 3114040035TXAT | 4.0               | 35               | 8.0    | 24      | TX 20      | A - ocynk żółty | TYS.            |

| Material index   | d - Średnica [mm] | L - Długość [mm] | D [mm] | Lg [mm] | Wgłębienia | Rodzaj pokrycia | Jednostka miary |
|------------------|-------------------|------------------|--------|---------|------------|-----------------|-----------------|
| 3114040045TXAT   | 4.0               | 45               | 8.0    | 30      | TX 20      | A - ocynk żółty | TYS.            |
| 3114040060TXAK   | 4.0               | 60               | 8.0    | 36      | TX 20      | A - ocynk żółty | KG              |
| 3114040035TXAK   | 4.0               | 35               | 8.0    | 24      | TX 20      | A - ocynk żółty | KG              |
| 3114040030TXAK   | 4.0               | 30               | 8.0    | 18      | TX 20      | A - ocynk żółty | KG              |
| 3114035045TXAT   | 3.5               | 45               | 7.0    | 30      | TX 15      | A - ocynk żółty | TYS.            |
| 3114035035TXAT   | 3.5               | 35               | 7.0    | 24      | TX 15      | A - ocynk żółty | TYS.            |
| 3114035040TXAT   | 3.5               | 40               | 7.0    | 24      | TX 15      | A - ocynk żółty | TYS.            |
| 3114035030TXAT   | 3.5               | 30               | 7.0    | 18      | TX 15      | A - ocynk żółty | TYS.            |
| 3114035050TXAT   | 3.5               | 50               | 7.0    | 30      | TX 15      | A - ocynk żółty | TYS.            |
| 3114035025TXAT   | 3.5               | 25               | 7.0    | 18      | TX 15      | A - ocynk żółty | TYS.            |
| 3114035030TX15AT | 3.5               | 35               | 7.0    | 18      | TX 15      | A - ocynk żółty | TYS.            |
| 3114035035TX15AT | 3.5               | 35               | 7.0    | 24      | TX 15      | A - ocynk żółty | TYS.            |
| 3114035040TX15AT | 3.5               | 40               | 7.0    | 24      | TX 15      | A - ocynk żółty | TYS.            |
| 3114035040TXAK   | 3.5               | 40               | 7.0    | 24      | TX 15      | A - ocynk żółty | KG              |
| 3114035030TXAK   | 3.5               | 30               | 7.0    | 18      | TX 15      | A - ocynk żółty | KG              |
| 3114035025TXAK   | 3.5               | 25               | 7.0    | 18      | TX 15      | A - ocynk żółty | KG              |
| 3114035035TXAK   | 3.5               | 35               | 7.0    | 24      | TX 15      | A - ocynk żółty | KG              |
| 3114035050TXAK   | 3.5               | 50               | 7.0    | 30      | TX 15      | A - ocynk żółty | KG              |
| 3114030040TXAT   | 3.0               | 40               | 6.0    |         | TX 10      | A - ocynk żółty | TYS.            |
| 3114030035TXAT   | 3.0               | 35               | 6.0    |         | TX 10      | A - ocynk żółty | TYS.            |
| 3114030030TXAT   | 3.0               | 30               | 6.0    |         | TX 10      | A - ocynk żółty | TYS.            |
| 3114030030TXAK   | 3.0               | 30               | 6.0    |         | TX 10      | A - ocynk żółty | KG              |
| 3114060050TXAT   | 6.0               | 50               | 12.0   | 30      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060070TXAT   | 6.0               | 70               | 12.0   | 42      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060080TXAT   | 6.0               | 80               | 12.0   | 50      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060040TXAT   | 6.0               | 40               | 12.0   | 24      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060100TXAT   | 6.0               | 100              | 12.0   | 60      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060045TXAT   | 6.0               | 45               | 12.0   | 30      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060060TXAT   | 6.0               | 60               | 12.0   | 36      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060090TXAT   | 6.0               | 90               | 12.0   | 60      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060160TXAT   | 6.0               | 160              | 12.0   | 60      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060140TXAT   | 6.0               | 140              | 12.0   | 60      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060200TXAT   | 6.0               | 200              | 12.0   | 60      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060180TXAT   | 6.0               | 180              | 12.0   | 60      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060100TXAK   | 6.0               | 100              | 12.0   | 60      | TX 30      | A - ocynk żółty | KG              |
| 3114060080TXAK   | 6.0               | 80               | 12.0   | 50      | TX 30      | A - ocynk żółty | KG              |
| 3114060050TXAK   | 6.0               | 50               | 12.0   | 30      | TX 30      | A - ocynk żółty | KG              |
| 3114060070TXAK   | 6.0               | 70               | 12.0   | 42      | TX 30      | A - ocynk żółty | KG              |
| 3114060200TXAK   | 6.0               | 200              | 12.0   | 60      | TX 30      | A - ocynk żółty | KG              |

| Material index | d - Średnica [mm] | L - Długość [mm] | D [mm] | Lg [mm] | Wgłębienia | Rodzaj pokrycia | Jednostka miary |
|----------------|-------------------|------------------|--------|---------|------------|-----------------|-----------------|
| 3114060120TXAK | 6.0               | 120              | 12.0   | 60      | TX 30      | A - ocynk żółty | KG              |
| 3114060120TXAT | 6.0               | 120              | 12.0   | 60      | TX 30      | A - ocynk żółty | TYS.            |
| 3114060090TXAK | 6.0               | 90               | 12.0   | 60      | TX 30      | A - ocynk żółty | KG              |
| 3114060160TXAK | 6.0               | 160              | 12.0   | 60      | TX 30      | A - ocynk żółty | KG              |
| 3114050030TXAT | 5.0               | 30               | 10.0   | 18      | TX 25      | A - ocynk żółty | TYS.            |
| 3114050045TXAT | 5.0               | 45               | 10.0   | 30      | TX 25      | A - ocynk żółty | TYS.            |
| 3114050070TXAT | 5.0               | 70               | 10.0   | 42      | TX 25      | A - ocynk żółty | TYS.            |
| 3114050040TXAT | 5.0               | 40               | 10.0   | 24      | TX 25      | A - ocynk żółty | TYS.            |
| 3114050060TXAT | 5.0               | 60               | 10.0   | 36      | TX 25      | A - ocynk żółty | TYS.            |
| 3114050050TXAT | 5.0               | 50               | 10.0   | 30      | TX 25      | A - ocynk żółty | TYS.            |
| 3114050035TXAT | 5.0               | 35               | 10.0   | 24      | TX 25      | A - ocynk żółty | TYS.            |
| 3114050100TXAT | 5.0               | 100              | 10.0   | 60      | TX 25      | A - ocynk żółty | TYS.            |
| 3114050080TXAT | 5.0               | 80               | 10.0   | 50      | TX 25      | A - ocynk żółty | TYS.            |
| 3114050090TXAT | 5.0               | 90               | 10.0   | 60      | TX 25      | A - ocynk żółty | TYS.            |
| 3114050120TXAK | 5.0               | 120              | 10.0   | 60      | TX 20      | A - ocynk żółty | KG              |
| 3114050040TXAK | 5.0               | 40               | 10.0   | 24      | TX 25      | A - ocynk żółty | KG              |
| 3114050050TXAK | 5.0               | 50               | 10.0   | 30      | TX 25      | A - ocynk żółty | KG              |
| 3114050045TXAK | 5.0               | 45               | 10.0   | 30      | TX 25      | A - ocynk żółty | KG              |
| 3114050080TXAK | 5.0               | 80               | 10.0   | 50      | TX 25      | A - ocynk żółty | KG              |
| 3114050090TXAK | 5.0               | 90               | 10.0   | 60      | TX 25      | A - ocynk żółty | KG              |
| 3114050060TXAK | 5.0               | 60               | 10.0   | 36      | TX 25      | A - ocynk żółty | KG              |
| 3114050100TXAK | 5.0               | 100              | 10.0   | 60      | TX 25      | A - ocynk żółty | KG              |
| 3114050120TXAT | 5.0               | 120              | 10.0   | 60      | TX 25      | A - ocynk żółty | TYS.            |